SAFETY DATA SHEET

Date of issue/Date of revision

: 18 June 2017



: 8.06

Version

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: Envirobase High Performance BRIGHT RED PEARL
Product code	: T454/E1
Other means of identification	: Not available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	: Industrial applications.
Use of the substance/ mixture	: Coating.

1.3 Details of the supplier of the safety data sheet

PPG Industries Italia S.r.l., Via Comasina, 121, 20161 Milano, Italy Tel: +39 02 6404.1

e-mail address of person	: EurMsdsContact@ppg.com
responsible for this SDS	

National contact

Nexa Autocolor, Customer Service and Sales Group, Needham Road, Stowmarket, Suffolk, IP14 2AD, UK Tel: +44 (0) 1449 771771

1.4 Emergency telephone number

Supplier

Telephone number:Company emergency telephone number : +39 02 6404.1 (0800-1700)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

<u>Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]</u> Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

- Signal word
- : No signal word.
- Hazard statements
- : No known significant effects or critical hazards.

Precautionary statements

English (GB)

Code	: T454/E1	Date of issue/Date of revision	: 18 June 2017
Envirobase H	Envirobase High Performance BRIGHT RED PEARL		

SECTION 2: Hazards identification

Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazardous ingredients	: Not applicable.
Supplemental label elements	: Safety data sheet available on request.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requirem	ients
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
2.3 Other hazards	

Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture				
Product/ingredient name	Identifiers	% by weight	Classification Regulation (EC) No. 1272/2008 [CLP]	Туре
2-butoxyethanol	REACH #: 01-2119475108-36 EC: 203-905-0 CAS: 111-76-2 Index: 603-014-00-0	≥5.0 - <10	Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319	[1] [2]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

```
English (GB)
```

Code	: T454/E1	Date of issue/Date of revision	: 18 June 2017
Envirobase High Performance BRIGHT RED PEARL			

SECTION 3: Composition/information on ingredients

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	 Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	 Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
ver-exposure signs/	/symptoms
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising	rom the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon oxides metal oxide/oxides

5.3 Advice for firefighters

English (GB)	United Kingdom (UK)	3/13
English (OD)	onited Kingdom (OK)	5/15

SECTIO	5. Eirofighting moscuroe				
Envirobase High Performance BRIGHT RED PEARL					
Code	: T454/E1	Date of issue/Date of revision	: 18 June 2017		

ON 5: Firefighting measures

SECTION 5. Fireinging		y measures
Special precautions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, prote	ec	tive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for co	or	tainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas
	eating areas.

Code	: T454/E1	Date of issue/Date of revision	: 18 June 2017		
Envirobase High Performance BRIGHT RED PEARL					

SECTION 7: Handling and storage

	0	0
		Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later. To avoid the risks of fires, all contaminated materials should be stored in purpose-built containers or in metal containers with tight-fitting, self-closing lids. Contaminated materials should be removed from the workplace at the end of each working day and be stored outside.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	:	Storage temperature: 5 to 35°C (41 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
7.3 Specific end use(s)		
Recommendations	:	Not available.
Industrial sector specific solutions	:	Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
₽-butoxyethanol	EH40/2005 WELs (United Kingdom (UK), 12/2011). Absorbed through skin. STEL: 50 ppm 15 minutes. TWA: 25 ppm 8 hours.
procedures atmosp of the v protection the follow the ass limit valid atmosp exposu (Workp for the v	roduct contains ingredients with exposure limits, personal, workplace where or biological monitoring may be required to determine the effectiveness rentilation or other control measures and/or the necessity to use respiratory we equipment. Reference should be made to monitoring standards, such as bowing: European Standard EN 689 (Workplace atmospheres - Guidance for essment of exposure by inhalation to chemical agents for comparison with lues and measurement strategy) European Standard EN 14042 (Workplace wheres - Guide for the application and use of procedures for the assessment of re to chemical and biological agents) European Standard EN 482 lace atmospheres - General requirements for the performance of procedures measurement of chemical agents) Reference to national guidance ents for methods for the determination of hazardous substances will also be d.
DNELs	

Code : T454/E1

Date of issue/Date of revision

: 18 June 2017

Envirobase High Performance BRIGHT RED PEARL

SECTION 8: Exposure controls/personal protection

Product/ingredient name	Туре	Exposure	Value	Population	Effects
2-butoxyethanol	DNEL	Long term Inhalation	49 mg/m ³	Consumers	Systemic
	DNEL	Short term Inhalation	426 mg/m ³	Consumers	Systemic
	DNEL	Short term Inhalation	123 mg/m ³	Consumers	Local
	DNEL	Long term Dermal	38 mg/kg	Consumers	Systemic
	DNEL	Short term Dermal	44.5 mg/kg	Consumers	Systemic
	DNEL	Long term Oral	3.2 mg/kg	Consumers	Systemic
	DNEL	Short term Oral	13.4 mg/kg	Consumers	Systemic
	DNEL	Long term Inhalation	98 mg/m³	Workers	Systemic
	DNEL	Short term Inhalation	663 mg/m³	Workers	Systemic
	DNEL	Short term Inhalation	246 mg/m ³	Workers	Local
	DNEL	Long term Dermal	75 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Dermal	89 mg/kg bw/day	Workers	Systemic

PNECs

Product/ingredient name	Туре	Compartment Detail	Value	Method Detail
2-butoxyethanol	- - - - -	Fresh water Marine water Fresh water sediment Marine water sediment Soil Sewage Treatment Plant	8.8 mg/l 0.88 mg/l 34.6 mg/kg 3.46 mg/kg 3.13 mg/kg 463 mg/l	Assessment Factors Assessment Factors Equilibrium Partitioning Equilibrium Partitioning Equilibrium Partitioning Assessment Factors

8.2 Exposure controls Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.	Ð
Individual protection measure	<u>35</u>	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	
Eye/face protection	: Safety glasses with side shields.	
Skin protection		
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.	
Gloves	: For prolonged or repeated handling, use the following type of gloves:	
	Recommended: butyl rubber	
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
English (GB)	United Kingdom (UK) 6/2	13

Envirobase High Performance BRIGHT RED PEARL	Code	: T454/E1	Date of issue/Date of revision	: 18 June 2017
	Envirobase High Performance BRIGHT RED PEARL			

SECTION 8: Exposure controls/personal protection

Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Filter type: organic vapour (Type A) and particulate filter P3
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

,	
9.1 Information on basic physical	and chemical properties
<u>Appearance</u>	
Physical state	: Liquid.
Colour	: Colourless.
Odour	: Faint odour.
Odour threshold	: Not available.
рН	: Not available.
Melting point/freezing point	: May start to solidify at the following temperature: 0°C (32°F) This is based on data for the following ingredient: water. Weighted average: -8.14°C (17.3°F)
Initial boiling point and boiling range	: >37.78°C
Flash point	: 🖉 losed cup: 100°C [Product does not sustain combustion.]
Evaporation rate	: 0.072 (2-butoxyethanol) compared with butyl acetate
Material supports combustion.	: No.
Flammability (solid, gas)	: liquid
Upper/lower flammability or explosive limits	: Lower: 1% Upper: 10.6%
Vapour pressure	 Highest known value: 3.2 kPa (23.8 mm Hg) (at 20°C) (water). Weighted average: 2.87 kPa (21.53 mm Hg) (at 20°C)
Vapour density	: Highest known value: 4.1 (Air = 1) (2-butoxyethanol).
Relative density	: 1.07
Bulk density (g/cm³)	: 1.07
Solubility(ies)	: Partially soluble in the following materials: cold water.
Partition coefficient: n-octanol/ water	: Not applicable.
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: Stable under recommended storage and handling conditions (see Section 7).
Viscosity	: Kinematic (40°C): >0.21 cm ² /s
Viscosity	: < 30 s (ISO 6mm)
Explosive properties	: Product does not present an explosion hazard.
Oxidising properties	: Product does not present an oxidizing hazard.

9.2 Other information

English (GB)

Code	: T454/E1	Date of issue/Date of revision	: 18 June 2017
Envirobase High Performance BRIGHT RED PEARL			

SECTION 9: Physical and chemical properties

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	The product is stable.
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
10.5 Incompatible materials	:	Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
10.6 Hazardous decomposition products	:	Depending on conditions, decomposition products may include the following materials: carbon oxides metal oxide/oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2-butoxyethanol	LD50 Dermal	Rabbit	1060 mg/kg	-
	LD50 Oral	Rat	470 mg/kg	-
diiron trioxide	LD50 Oral	Rat	10 g/kg	-

Conclusion/Summary : Not available.

Acute toxicity estimates

Route	ATE value
Øral	5812 mg/kg
Dermal	13107.8 mg/kg
Inhalation (gases)	504354.3 ppm
Inhalation (vapours)	126.8 mg/l

English (GB)	United Kingdom (UK)	8/13
Conclusion/Summary	: Not available.	
Teratogenicity		
Conclusion/Summary	: Not available.	
Reproductive toxicity		
Conclusion/Summary	: Not available.	
Carcinogenicity		
Conclusion/Summary	: Not available.	
Mutagenicity		
Conclusion/Summary	: Not available.	
Sensitisation		
Conclusion/Summary	: Not available.	
Irritation/Corrosion		

Inited Kingdom (UK)	
Code : T454/E1	Date of issue/Date of revision: 18 June 2017
Envirobase High Performance	BRIGHT RED PEARL
SECTION 11: Toxicol	ogical information
Specific target organ toxicity	<u>/ (single exposure)</u>
Not available.	
Specific target organ toxicity	<u>/ (repeated exposure)</u>
Not available.	
Aspiration hazard	
Not available.	
Information on likely	: Not available.
routes of exposure	
Potential acute health effect	S
Inhalation	 No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Eye contact	: No known significant effects or critical hazards.
Symptoms related to the phy	vsical, chemical and toxicological characteristics
Inhalation	: No specific data.
Ingestion	: No specific data.
Skin contact	: No specific data.
Eye contact	: No specific data.
Delayed and immediate effect	cts as well as chronic effects from short and long-term exposure
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	<u>cts</u>
Not available.	
Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Other information	: Not available.

There are no data available on the mixture itself. The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in nonallergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Code : T454/E1

Date of issue/Date of revision Envirobase High Performance BRIGHT RED PEARL

: 18 June 2017

SECTION 11: Toxicological information

SECTION 12: Ecological information

12.1 Toxicity

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
2-butoxyethanol	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
2-butoxyethanol	0.81	-	low

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT an	d vPvB assessment
PBT	: Not applicable.
vPvB	: Not applicable.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. **Hazardous waste** : Yes.

European waste catalogue (EWC)

08 01 11* waste paint and varnish containing organic solvents or other hazardous substances	Waste code	Waste designation	
	08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	

Packaging

SECTION 12, Dispasal considerations			
Envirobase High Performance BRIGHT RED PEARL			
Code	: T454/E1	Date of issue/Date of revision	: 18 June 2017

SECTION 13: Disposal considerations

Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.		
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.		
11 Transporting formation			

14. Transport information

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	9003	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	SUBSTANCES WITH A FLASH-POINT ABOVE 60 °C AND NOT MORE THAN 100 °C (2-butoxyethanol)	-	-
14.3 Transport hazard class(es)	-	9	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.	Not applicable.

Additional information

ADR/RID	: None identified.
ADN	: None identified.
IMDG	: None identified.
IATA	: None identified.

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk	: Not applicable.
according to Annex II of	
Marpol and the IBC Code	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Code : T454/E1 Envirobase High Performa		e of issue/Date of revision : 18 June 2017
SECTION 15: Regu		
Annex XVII - Restrictions on the manufacture, placing on the market ar use of certain dangerous substances, mixtures ar articles	s : Not applicable.	
Other EU regulations		
Seveso Directive		
This product is not control	led under the Seveso Directive	9.
15.2 Chemical safety assessment	: No Chemical Safety As	sessment has been carried out.
SECTION 16: Other	r information	
Indicates information that	t has changed from previously	v issued version.
	1272/2008] DNEL = Derived No Eff	
Procedure used to derive t	EUH statement = CLP- PNEC = Predicted No E RRN = REACH Registr	specific Hazard statement Effect Concentration
	EUH statement = CLP- PNEC = Predicted No E RRN = REACH Registr	specific Hazard statement Effect Concentration ration Number
	EUH statement = CLP- PNEC = Predicted No E RRN = REACH Registr he classification according	specific Hazard statement Effect Concentration ration Number to Regulation (EC) No. 1272/2008 [CLP/GHS]
Class	EUH statement = CLP- PNEC = Predicted No E RRN = REACH Registr he classification according sification	specific Hazard statement Effect Concentration ration Number to Regulation (EC) No. 1272/2008 [CLP/GHS]
Class Not classified.	EUH statement = CLP- PNEC = Predicted No E RRN = REACH Registr he classification according sification tatements Harmf Harmf Cause Cause	specific Hazard statement Effect Concentration ration Number to Regulation (EC) No. 1272/2008 [CLP/GHS]
Class Not classified. Full text of abbreviated H s H302 H312 H315 H319	EUH statement = CLP- PNEC = Predicted No E RRN = REACH Registr he classification according s sification sification Harmf Cause Cause Harmf	specific Hazard statement Effect Concentration ration Number to Regulation (EC) No. 1272/2008 [CLP/GHS] Justification ful if swallowed. ful in contact with skin. es skin irritation. es serious eye irritation.
Class Not classified. Full text of abbreviated H s H302 H312 H315 H319 H332	EUH statement = CLP- PNEC = Predicted No E RRN = REACH Registr he classification according to sification tatements Harmf Cause Cause Harmf [CLP/GHS] ACUT ACUT SERIC	specific Hazard statement Effect Concentration ration Number to Regulation (EC) No. 1272/2008 [CLP/GHS] Justification ful if swallowed. ful in contact with skin. es skin irritation. es serious eye irritation.
Class Not classified. Full text of abbreviated H s H302 H312 H315 H319 H332 Full text of classifications Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H312 Eye Irrit. 2, H319	EUH statement = CLP- PNEC = Predicted No E RRN = REACH Registr he classification according to sification tatements Harmf Cause Cause Harmf [CLP/GHS] ACUT ACUT SERIC	specific Hazard statement Effect Concentration ation Number to Regulation (EC) No. 1272/2008 [CLP/GHS] Justification ful if swallowed. ful if swallowed. ful in contact with skin. es skin irritation. es serious eye irritation. ful if inhaled. TE TOXICITY (oral) - Category 4 TE TOXICITY (dermal) - Category 4 TE TOXICITY (inhalation) - Category 4 DUS EYE DAMAGE/EYE IRRITATION - Category 2
Class Not classified. Full text of abbreviated H s H302 H312 H315 H319 H332 Full text of classifications Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H312 Eye Irrit. 2, H319 Skin Irrit. 2, H315	EUH statement = CLP- PNEC = Predicted No E RRN = REACH Registr he classification according to sification tatements Harmf Cause Cause Harmf [CLP/GHS] ACUT ACUT SERIC	specific Hazard statement Effect Concentration ation Number to Regulation (EC) No. 1272/2008 [CLP/GHS] Justification ful if swallowed. ful if swallowed. ful in contact with skin. es skin irritation. es serious eye irritation. ful if inhaled. TE TOXICITY (oral) - Category 4 TE TOXICITY (dermal) - Category 4 TE TOXICITY (inhalation) - Category 4 DUS EYE DAMAGE/EYE IRRITATION - Category 2
Class Not classified. Full text of abbreviated H s H302 H312 H315 H319 H332 Full text of classifications Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H312 Acute Tox. 4, H312 Acute Tox. 4, H312 Skin Irrit. 2, H319 Skin Irrit. 2, H315 History Date of issue/ Date of	EUH statement = CLP- PNEC = Predicted No E RRN = REACH Registre he classification according to the classification sification statements tatements [CLP/GHS] ACUT ACUT SERIC SKIN 0	specific Hazard statement Effect Concentration ation Number to Regulation (EC) No. 1272/2008 [CLP/GHS] Justification ful if swallowed. ful if swallowed. ful in contact with skin. es skin irritation. es serious eye irritation. ful if inhaled. TE TOXICITY (oral) - Category 4 TE TOXICITY (dermal) - Category 4 TE TOXICITY (inhalation) - Category 4 DUS EYE DAMAGE/EYE IRRITATION - Category 2
Class Not classified. Full text of abbreviated H s H302 H312 H315 H319 H332 Full text of classifications Acute Tox. 4, H302 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H312 Eye Irrit. 2, H319 Skin Irrit. 2, H315 History Date of issue/ Date of revision	EUH statement = CLP- PNEC = Predicted No E RRN = REACH Registr he classification according : sification tatements Harmf Cause Cause Harmf Cause Cause Harmf : CLP/GHS] ACUT ACUT ACUT SERIO SKIN 0	specific Hazard statement Effect Concentration ation Number to Regulation (EC) No. 1272/2008 [CLP/GHS] Justification ful if swallowed. ful if swallowed. ful in contact with skin. es skin irritation. es serious eye irritation. ful if inhaled. TE TOXICITY (oral) - Category 4 TE TOXICITY (dermal) - Category 4 TE TOXICITY (inhalation) - Category 4 DUS EYE DAMAGE/EYE IRRITATION - Category 2

Code	: T454/E1	Date of issue/Date of revision	: 18 June 2017		
Envirohaaa High Barfarmanaa PRICHT RED REARI					

Envirobase High Performance BRIGHT RED PEARL

SECTION 16: Other information

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.